





ENGINEERED FOR THE REAL WORLD

BUILT TO ENDURE.

Heavy-duty steel, work-ready details, and a finish built for weather, wear, and long days. Every Legend X truck bed is engineered to take real work in stride - and look sharp doing it.



THE LEGEND X STANDARD

STRAIGHT ANSWERS. HARD WORK. RESPECT.

A handshake still means something. When we give our word, that is the deal. If there is an issue, we communicate directly and work to make it right.

We understand the people and crews who show up early, stay late, and depend on equipment that can hold up day after day. Honest communication, dependable work, and real respect shape how we build—and how we do business.

WHAT COMES STANDARD

WORK-READY. DAY ONE.

Unless otherwise specified, these fundamentals are engineered into every Legend X truck body.



1 STRUCTURAL BUILD

4-inch C-channel frame rails, a channel-and-tube subframe, 1/8-inch tread-plate deck, and a 3.5-inch tube headache rack.

2 24,000 LB. RECEIVER

A 2.5-inch receiver hitch independently tested and rated when installed correctly to the truck frame.

3 30,000 LB. GOOSENECK

Welded ball, protective lid, trailer plug, and spring-loaded safety-chain points.

4 SEALED TRAILER WIRING

A recessed 7-way plug positioned near the license plate for protection and convenient connection.

5 SMOKED LED LIGHTING

DOT-approved lifetime LEDs deliver visibility with the signature smoked-out appearance.

6 COMPRESSION T-LATCHES

Recessed toolbox doors and T-handle compression latches pull closed for a tight, secure seal.

THE LINEUP

SEVEN WAYS TO WORK.

Choose the storage, profile, and capability that fit the job.



PRODUCT SERIES
APOLLO

PAGE 06



PRODUCT SERIES
PHOENIX

PAGE 08



PRODUCT SERIES
VIKING PRO

PAGE 10



PRODUCT SERIES
VIKING

PAGE 12



PRODUCT SERIES
SPARTAN

PAGE 14



PRODUCT SERIES
TITAN

PAGE 16



PRODUCT SERIES
SPIKE BEDS

PAGE 18

STORAGE, STRENGTH, AND A CLEAN PROFILE

APOLLO

STANDOUT FEATURES



3 LED WORK LIGHTS

One work light on the headache rack and two on the tailboard illuminate the work area after dark.



6 LOCKABLE TOOLBOXES

Three secure toolboxes per side use T-handle compression latches for convenient access and security.




4 ROTATING D-RINGS

Four flush-mounted, 360-degree rotating D-rings provide adaptable tie-down angles while staying low when not in use.

APOLLO SERIES

SPECIFICATIONS + OPTIONS.

A clear starting point for configuring the body around the truck and the work.



PRODUCT DETAILS

AVAILABLE LENGTHS

7'0" · 8'6" · 9'4" · 11'4"

HEADACHE RACK

3.5-inch structural steel tubing

GOOSENECK HITCH

30,000 lb. independently rated

BUMPER PULL HITCH

24,000 lb. independently rated

DECK

1/8-inch steel tread plate

OPTIONS + CONFIGURATIONS


- **WHITE POWDER COAT**
A clean, modern finish with the same heavy-duty protection.
- **B&W TURNOVERBALL**
A versatile gooseneck system designed for a fifth-wheel Companion hitch.
- **BALE SPIKE PACKAGE**
KTI-driven hydraulic lift for efficient feeding and hauling.
- **CHROME PACKAGE**
Aluminum trim, stainless fenders, and light castings.

Specifications and options are subject to change. Confirm final configuration with an authorized Legend X dealer.

STREAMLINED EFFICIENCY. CONFIDENT TOWING.

PHOENIX

STANDOUT FEATURES



GOOSENECK TROUGH

The 18 1/8-inch dovetail trough simplifies heavy-duty trailer hookups and keeps the deck clean.



INTEGRATED SIDE STEP

A sturdy integrated step creates direct, confident access to the deck and load.



4 ROTATING D-RINGS

Flush-mounted tie-downs rotate through 360 degrees for secure strap angles from any direction.

PHOENIX SERIES

SPECIFICATIONS + OPTIONS.

A clear starting point for configuring the body around the truck and the work.



PRODUCT DETAILS

AVAILABLE LENGTHS

7'0" • 8'6" • 9'4" • 11'4"

HEADACHE RACK

3.5-inch structural steel tubing

GOOSENECK HITCH

30,000 lb. independently rated

BUMPER PULL HITCH

24,000 lb. independently rated

DECK

1/8-inch steel tread plate

OPTIONS + CONFIGURATIONS

- **WHITE POWDER COAT**
A clean, modern finish with heavy-duty protection.
- **HEADACHE-RACK TOOLBOX**
Purpose-built storage positioned against the headache rack.
- **HAULER HORNS**
A rugged Western-style headache-rack treatment.
- **CHROME PACKAGE**
Aluminum trim, stainless fenders, and light castings.

Specifications and options are subject to change. Confirm final configuration with an authorized Legend X dealer.

MORE STORAGE. MORE WORKING LIGHT.

VIKING PRO

STANDOUT FEATURES



BRIGHT LED WORK LIGHT

A powerful headache-rack work light supports safe, efficient work after dark.



TWO UPRIGHT TOOLBOXES

Two lockable upright boxes add shelving and organized space for essential tools.



24,000 LB. BUMPER PULL

The 2.5-inch receiver integrates into the frame for independently tested towing capacity.

VIKING PRO SERIES

SPECIFICATIONS + OPTIONS.

A clear starting point for configuring the body around the truck and the work.



PRODUCT DETAILS

AVAILABLE LENGTHS

7'0" • 8'6" • 9'4" • 11'4"

HEADACHE RACK

3.5-inch structural steel tubing

GOOSENECK HITCH

30,000 lb. independently rated

BUMPER PULL HITCH

24,000 lb. independently rated

DECK

1/8-inch steel tread plate

OPTIONS + CONFIGURATIONS

- **COLOR MATCH**

Automotive-grade paint for a coordinated truck-and-bed finish.

- **B&W TURNOVERBALL**

A versatile gooseneck system for a fifth-wheel Companion hitch.

- **HAULER HORNS**

A rugged Western-style headache-rack treatment.

- **GOOSENECK TROUGH**

An 18 1/8-inch trough that simplifies trailer hookups.



Specifications and options are subject to change. Confirm final configuration with an authorized Legend X dealer.

VERSATILITY FOR THE WORKING PROFESSIONAL

VIKING



STANDOUT FEATURES



SIDE RAILS + STAKE POCKETS

Integrated rails and stake pockets create flexible tie-down points for straps and varied cargo.



INTEGRATED SIDE STEP

A sturdy, direct step makes it easier to climb onto the deck and manage the load.



24,000 LB. BUMPER PULL

The 2.5-inch receiver integrates into the frame for dependable towing capability.

VIKING SERIES

SPECIFICATIONS + OPTIONS.

A clear starting point for configuring the body around the truck and the work.



PRODUCT DETAILS

AVAILABLE LENGTHS

7'0" · 8'6" · 9'4" · 11'4"

HEADACHE RACK

3.5-inch structural steel tubing

GOOSENECK HITCH

30,000 lb. independently rated

BUMPER PULL HITCH

24,000 lb. independently rated

DECK

1/8-inch steel tread plate

OPTIONS + CONFIGURATIONS

- **WHITE POWDER COAT**
A clean, modern finish with heavy-duty protection.
- **B&W TURNOVERBALL**
A versatile gooseneck system for a fifth-wheel Companion hitch.
- **HAULER HORNS**
A rugged Western-style headache-rack treatment.
- **GOOSENECK TROUGH**
An 18 1/8-inch trough that simplifies trailer hookups.



Specifications and options are subject to change. Confirm final configuration with an authorized Legend X dealer.

RUGGED DURABILITY. PRACTICAL DESIGN.

SPARTAN

STANDOUT FEATURES



DIAMOND-PLATE REAR SKIRT

The reinforced rear skirt adds dependable access and strength where the work happens.



SIDE RAILS + STAKE POCKETS

Rails and stake pockets add useful tie-down points for straps and varied cargo.



24,000 LB. BUMPER PULL

The 2.5-inch receiver integrates into the frame for independently tested capacity.

SPARTAN SERIES

SPECIFICATIONS + OPTIONS.

A clear starting point for configuring the body around the truck and the work.



PRODUCT DETAILS

AVAILABLE LENGTHS

7'0" · 8'6" · 9'4" · 11'4"

HEADACHE RACK

3.5-inch structural steel tubing

GOOSENECK HITCH

30,000 lb. independently rated

BUMPER PULL HITCH

24,000 lb. independently rated

DECK

1/8-inch steel tread plate

OPTIONS + CONFIGURATIONS

- **WHITE POWDER COAT**
A clean, modern finish with heavy-duty protection.
- **B&W TURNOVERBALL**
A versatile gooseneck system for a fifth-wheel Companion hitch.
- **HAULER HORNS**
A rugged Western-style headache-rack treatment.
- **GOOSENECK TROUGH**
An 18 1/8-inch trough that simplifies trailer hookups.

Specifications and options are subject to change. Confirm final configuration with an authorized Legend X dealer.



LOCK IT. LOAD IT. TOW IT.

TITAN

STANDOUT FEATURES



MASTER LOCKING SYSTEM

One simple motion secures all three boxes on a side, adding speed and another layer of protection.



6 LOCKABLE TOOLBOXES

Six shelved, secure toolboxes use compression latches for fast access and dependable storage.



6 ROTATING D-RINGS

Six flush-mounted 360-degree D-rings adapt to awkward or heavy loads without cluttering the deck.

TITAN SERIES

SPECIFICATIONS + OPTIONS.

A clear starting point for configuring the body around the truck and the work.



PRODUCT DETAILS

AVAILABLE LENGTHS

7'0" · 8'6" · 9'4" · 11'4"

HEADACHE RACK

3.5-inch structural steel tubing

GOOSENECK HITCH

30,000 lb. independently rated

BUMPER PULL HITCH

24,000 lb. independently rated

DECK

1/8-inch steel tread plate

OPTIONS + CONFIGURATIONS

- **WHITE POWDER COAT**
A clean, modern finish with heavy-duty protection.
- **B&W TURNOVERBALL**
A versatile gooseneck system for a fifth-wheel Companion hitch.
- **FENDER KITS**
Swappable panels simplify installation across cab-to-axle configurations.
- **CHROME PACKAGE**
Aluminum trim, stainless fenders, and light castings.

Specifications and options are subject to change. Confirm final configuration with an authorized Legend X dealer.

LIFT. CARRY. STORE. REPEAT.

SPIKE BEDS

LEGENDX.COM

TEXAS
XBG-1423
The Lone Star State

STANDOUT FEATURES



EASY LATCH SYSTEM

Designed for quick installation and removal so the truck can get back to work.



UNDER-BED SPIKE STORAGE

The spike stores beneath the bed, leaving valuable toolbox space available for tools and gear.



HYDRAULIC SYSTEM

A KTI-powered hydraulic system provides smooth, controlled operation from lift to lift.

SPIKE BEDS SERIES

SYSTEM DETAILS + OPTIONS.

A clear starting point for configuring the body around the truck and the work.



PRODUCT DETAILS

PACKAGE TYPE

Hydraulic bale-spike attachment

INSTALLATION

Quick-install latch system

POWER

KTI hydraulic system

STORAGE

Under-bed spike storage

APPLICATION

Work-ready lifting and feeding

OPTIONS + CONFIGURATIONS

● QUICK INSTALLATION

A purpose-built latch system makes installation and removal straightforward.

● UNDER-BED STORAGE

The spike stores out of the way when the bed returns to everyday work.

● KTI-POWERED LIFT

Controlled hydraulic operation keeps bale handling smooth and repeatable.

● WORK-READY INTEGRATION

Designed to preserve useful storage and bed access.

Specifications and options are subject to change. Confirm final configuration with an authorized Legend X dealer.

ARRIVE READY

WORK DOESN'T WAIT.

Legend X is built for the crews, operators, ranchers, and businesses that depend on their truck every day.

LEGEND X WARRANTY

DON'T WORRY. YOU'RE COVERED.

We take pride in the quality and design of every Legend X product—and we stand behind what we build. If a covered defect in materials or workmanship appears, our goal is simple: communicate clearly, make it right, and help get you back to work.

Normal wear is part of using work equipment. Proper installation, intended use, and basic care help every body perform at its best for the long haul.

Our truck bodies are backed by a 3-year / 36,000-mile limited warranty. For complete coverage, exclusions, and claim instructions, refer to the current written warranty at legendx.com.

NEED SUPPORT?

sales@legendx.com • 432.201.2411



FIELD NOTES

BUILD THE RIGHT CONFIGURATION.

Measurements, chassis notes, options, dealer information, and next steps.

PROJECT

TRUCK / CHASSIS:

CONTACT:

FIELD NOTES

PLAN THE NEXT MOVE.

Measurements, chassis notes, options, dealer information, and next steps.

PROJECT

TRUCK / CHASSIS:

CONTACT:



FORGED BY EXPERTS

**DRIVEN TO
EXCEED.**

LEGENDX.COM

sales@legendx.com • 432.201.2411